



Certificate of Analysis



Cookies FL

Cultivation Facility: DeLand
Processing Facility: DeLand
Batch Date: 04/15/2026
Batch Size: 502 g
Batch Unit Size: 0.5 g
Units Sampled: 31
Total Amt. Sampled: 15.5 g
Seed to Sale ID: 9140729882539551
QA Sample ID: 7807965582134964

CF7921-BLRZ2604150001-DSSD



Laboratory ID: KD17018-09
Sample Matrix: Vape
Admin. Route: Inhalation
Label Claim: THC: -- mg | CBD: -- mg
Cultivar: Blue Raz
Product Name: Cookies - AIO - Sauce
Description: Cookies - BLRZ - AIO - Sauce - 0.5g
Sample Date: 04/17/26
Received: 04/17/26 15:40
Completed: 04/22/26 18:16

POTENCY SUMMARY (As Received)

Total CBD
1.33% (6.65 mg)

Total THC
75.6% (378 mg)

Total Cannabinoids
81.5% (407 mg)

Analyte	%	mg
delta 9-THC	68.0	340
THCa	8.72	43.6
CBG	1.60	8.00
CBD	1.33	6.65
CBN	0.871	4.36
THCV	0.728	3.64
CBGa	0.224	1.12
CBC	<LOQ	<LOQ
CBDa	<LOQ	<LOQ
CBDV	<LOQ	<LOQ
delta 8-THC	<LOQ	<LOQ

TERPENES SUMMARY (Top Ten)

Total Terpenes
3.61%

Analyte	%
d-Limonene	1.39
beta-Caryophyllene	0.698
alpha-Humulene	0.258
Linalool	0.219
trans-Nerolidol	0.151
Fenchyl Alcohol	0.144
beta-Pinene	0.114
alpha-Pinene	0.111
alpha-Terpineol	0.100
beta-Myrcene	0.0948

ANALYSIS SUMMARY

Potency	Completed	Homogeneity	Not Tested	Terpenes	Completed
Residual Solvents	PASS	% Moisture	Not Tested	Water Activity	PASS
Foreign Matter	PASS	Pesticides	PASS	Mycotoxins	PASS
Heavy Metals	PASS	Microbials	PASS	Label Claim	Not Applicable

Copyright © 2026 Modern Canna, LLC. All rights reserved.

This report shall not be reproduced, distributed, or transmitted in any form or by any means, without written consent from Modern Canna, LLC. The results in this report relate only to the products analyzed. The results in this report are confidential. For more information regarding our reporting limits, please visit: www.moderncanna.com/modern-canna-reporting-limits/

LOQ = Limit of Quantification

ND = Non-Detect

RPD = Relative Percent Difference

MDL = Method Detection Limit

PQL = Practical Quantitation Limit



4705 Old Rd 37
Lakeland, FL 33813
www.moderncanna.com
863-608-7800

Richard Dillen
Laboratory Director



Accreditation #102020

