



Certificate of Analysis



Cookies FL

Cultivation Facility: Deland
Processing Facility: Deland
Batch Date: 05/27/2026
Batch Size: 1991 g
Batch Unit Size: 1 g
Units Sampled: 16
Total Amt. Sampled: 16 g
Seed to Sale ID: 9255968262083645
QA Sample ID: 2204065350576603

CBB1-LOZK2605270001-DSC

Laboratory ID: KE29018-01
Sample Matrix: Vape
Admin. Route: Inhalation
Label Claim: THC: -- mg | CBD: -- mg
Cultivar: Lemon OZ Kush
Description: Cookies - LOZK - 510 Cartridge - Distillate - 1g
Sample Date: 05/29/26
Received: 05/29/26 15:37
Completed: 06/03/26 15:33



POTENCY SUMMARY (As Received)

Total CBD
0.263% (2.63 mg)

Total THC
86.6% (866 mg)

Total Cannabinoids
91.6% (916 mg)

Analyte	%	mg
delta 9-THC	86.5	865
CBG	3.73	37.3
CBN	0.702	7.02
THCV	0.356	3.56
CBD	0.263	2.63
THCa	0.0676	0.676
CBC	<LOQ	<LOQ
CBDa	<LOQ	<LOQ
CBDV	<LOQ	<LOQ
CBGa	<LOQ	<LOQ
delta 8-THC	<LOQ	<LOQ

TERPENES SUMMARY (Top Ten)

Total Terpenes
4.54%

Analyte	%
beta-Caryophyllene	1.03
d-Limonene	0.915
beta-Myrcene	0.856
alpha-Pinene	0.445
alpha-Humulene	0.299
Linalool	0.282
beta-Pinene	0.228
Fenchyl Alcohol	0.0803
alpha-Bisabolol	0.0760
Caryophyllene oxide	0.0562

ANALYSIS SUMMARY

Potency	Completed	Homogeneity	Not Tested	Terpenes	Completed
Residual Solvents	PASS	% Moisture	Not Tested	Water Activity	PASS
Foreign Matter	PASS	Pesticides	PASS	Mycotoxins	PASS
Heavy Metals	PASS	Microbials	PASS	Label Claim	Not Applicable

Copyright © 2026 Modern Canna, LLC. All rights reserved.

This report shall not be reproduced, distributed, or transmitted in any form or by any means, without written consent from Modern Canna, LLC. The results in this report relate only to the products analyzed. The results in this report are confidential. For more information regarding our reporting limits, please visit: www.moderncanna.com/modern-canna-reporting-limits/

LOQ = Limit of Quantification

ND = Non-Detect

RPD = Relative Percent Difference

MDL = Method Detection Limit

PQL = Practical Quantitation Limit



CMTL-0005

4705 Old Rd 37
Lakeland, FL 33813
www.moderncanna.com
863-608-7800

Richard Dillen
Laboratory Director



Accreditation #102020

