



Certificate of Analysis



Cookies FL

Cultivation Facility: Deland
Processing Facility: Deland
Batch Date: 06/04/2026
Batch Size: 1246 g
Batch Unit Size: 0.5 g
Units Sampled: 31
Total Amt. Sampled: 15.5 g
Seed to Sale ID: 8874018329141891
QA Sample ID: 3198083472745672

FBB1-BBBA2606040001-LRSD

Laboratory ID: KF05014-01
Sample Matrix: Live Resin Vape
Admin. Route: Inhalation
Label Claim: THC: -- mg | CBD: -- mg
Cultivar: Blueberry Banana
Description: Cookies - BBBA - AIO - Live Resin - 0.5g
Sample Date: 06/05/26
Received: 06/05/26 15:27
Completed: 06/10/26 17:18



POTENCY SUMMARY (As Received)

Total CBD
0.122% (0.610 mg)

Total THC
80.8% (404 mg)

Total Cannabinoids
82.9% (414 mg)

Analyte	%	mg
delta 9-THC	80.8	404
CBG	0.829	4.15
THCV	0.477	2.39
CBC	0.460	2.30
CBN	0.174	0.870
CBD	0.122	0.610
CBDa	<LOQ	<LOQ
CBDV	<LOQ	<LOQ
CBGa	<LOQ	<LOQ
delta 8-THC	<LOQ	<LOQ
THCa	<LOQ	<LOQ

TERPENES SUMMARY (Top Ten)

Total Terpenes
4.15%

Analyte	%
beta-Caryophyllene	1.51
beta-Myrcene	1.15
alpha-Humulene	0.406
Linalool	0.288
trans-Nerolidol	0.267
Ocimene, Total	0.161
alpha-Bisabolol	0.106
Caryophyllene oxide	0.0654
d-Limonene	0.0653
alpha-Terpineol	0.0278

ANALYSIS SUMMARY

Potency	Completed	Homogeneity	Not Tested	Terpenes	Completed
Residual Solvents	PASS	% Moisture	Not Tested	Water Activity	PASS
Foreign Matter	PASS	Pesticides	PASS	Mycotoxins	PASS
Heavy Metals	PASS	Microbials	PASS	Label Claim	Not Applicable

Copyright © 2026 Modern Canna, LLC. All rights reserved.

This report shall not be reproduced, distributed, or transmitted in any form or by any means, without written consent from Modern Canna, LLC. The results in this report relate only to the products analyzed. The results in this report are confidential. For more information regarding our reporting limits, please visit: www.moderncanna.com/modern-canna-reporting-limits/

LOQ = Limit of Quantification

ND = Non-Detect

RPD = Relative Percent Difference

MDL = Method Detection Limit

PQL = Practical Quantitation Limit



4705 Old Rd 37
Lakeland, FL 33813
www.moderncanna.com
863-608-7800

Richard Dillen
Laboratory Director



Accreditation #102020

