



Certificate of Analysis



Cookies FL

M00018CULPRODeland001

Cultivation Facility: Deland
Processing Facility: Deland
Batch Date: 09/03/2026
Batch Size: 85140 g
Batch Units: 1548
Units Sampled: 9
Total Amt. Sampled: 495 g
Seed to Sale ID: 2430573082158684
QA Sample ID: 4296849303335214

SBRSP-KMIX2609030001-DCB



Laboratory ID: KI14013-01
Testing Matrix: Edible
Sample Matrix: Soft Chews
Label Claim: THC: 100 mg | CBD: -- mg
Cultivar: Cookies Mix
Description: Cookies - SBRSP - C-bite - 10ct - 100mg

Sample Date: 09/14/26
Exp. Date: 09/14/27

Received: 09/14/26 14:14
Completed: 09/17/26 17:31

POTENCY SUMMARY (As Received)

Total CBD
≤ 0.00489%

Total THC
0.149%

Total Cannabinoids
0.152% (89.5 mg)

Analyte	%	mg
delta 9-THC	0.149	87.6
CBG	0.00327	1.92
CBC	≤ 0.00748	≤ 4.40
CBD	≤ 0.00329	≤ 1.93
CBDa	≤ 0.00200	≤ 1.18
CBDV	≤ 0.00219	≤ 1.29
CBGa	≤ 0.00160	≤ 0.941
CBN	≤ 0.00190	≤ 1.12
delta 8-THC	≤ 0.00160	≤ 0.941
THCa	≤ 0.00170	≤ 1.000

EDIBLES SUMMARY

Per Serving

Total THC
8.76 mg

Total CBD
≤ 0.288 mg

Per Package

Total THC
87.6 mg (-12%)

Total CBD
≤ 2.88 mg

Homogeneity Summary	Result
Total Avg Wgt (g)	58.8
Individual Avg Wgt (g)	5.88
STD Dev (%)	3.02

ANALYSIS SUMMARY

Potency	Completed	Homogeneity	PASS	Terpenes	Not Tested
Residual Solvents	PASS	% Moisture	Not Tested	Water Activity	PASS
Foreign Matter	PASS	Pesticides	PASS	Mycotoxins	PASS
Heavy Metals	PASS	Microbials	PASS	Label Claim	PASS

Copyright © 2026 Modern Canna, LLC. All rights reserved.

This report shall not be reproduced, distributed, or transmitted in any form or by any means, without written consent from Modern Canna, LLC. The results in this report relate only to the products analyzed. The results in this report are confidential. For more information regarding our reporting limits, please visit: www.moderncanna.com/modern-canna-reporting-limits/

LOQ = Limit of Quantification

ND = Non-Detect

RPD = Relative Percent Difference

MDL = Method Detection Limit

PQL = Practical Quantitation Limit



4705 Old Rd 37
Lakeland, FL 33813
www.moderncanna.com
863-608-7800

Richard Dillen
Laboratory Director



Accreditation #102020

