VERANO™ Certificate of Analysis

Verano
M00010CULPRORuskin001

Cultivation Facility:	Apollo Beach
Processing Facility:	Apollo Beach
Batch Date:	10/12/2026
Batch Size:	1086 g
Batch Units:	1086
Units Sampled:	15
Total Amt. Sampled:	15 g
Seed to Sale ID:	6226743704769236
QA Sample ID:	5473867829856060

HPL071026-9236YS

PASSED

Laboratory ID:	KJ12018-04
Testing Matrix:	Derivative Product intended for inhalation
Sample Matrix:	Vape
Label Claim:	THC: -- mg | CBD: -- mg
Cultivar:	Yuzu Sr
Description:	The Esnc Live Resin Hyphen Pod - 1g - Yuzu Sr

Sample Date:	10/12/26	**Received:**	10/12/26 17:30
Exp. Date:	10/12/27	**Completed:**	10/15/26 10:51

POTENCY SUMMARY (As Received)

Total CBD	Total THC	Total Cannabinoids
0.186% (1.86 mg)	**79.0% (790 mg)**	**82.0% (820 mg)**

Analyte	%	mg
delta 9-THC	79.0	790
CBG	1.90	19.0
CBC	0.531	5.31
THCV	0.383	3.83
CBD	0.186	1.86
CBDa	≤ 0.000783	≤ 0.0078
CBDV	≤ 0.000860	≤ 0.0086
CBGa	≤ 0.000611	≤ 0.0061
CBN	≤ 0.000726	≤ 0.0073
delta 8-THC	≤ 0.000602	≤ 0.0060
THCa	≤ 0.000649	≤ 0.0065

TERPENES SUMMARY (Top Ten)

Total Terpenes
9.01%

Analyte	%
beta-Myrcene	3.22
d-Limonene	1.26
beta-Caryophyllene	1.26
Ocimene, Total	0.902
Linalool	0.784
alpha-Humulene	0.336
trans-Nerolidol	0.256
alpha-Pinene	0.235
alpha-Bisabolol	0.210
Fenchyl Alcohol	0.145

ANALYSIS SUMMARY

Potency	Completed	**Homogeneity**	Not Tested	**Terpenes**	Completed
Residual Solvents	PASS	**% Moisture**	Not Tested	**Water Activity**	PASS
Foreign Matter	PASS	**Pesticides**	PASS	**Mycotoxins**	PASS
Heavy Metals	PASS	**Microbials**	PASS	**Label Claim**	Not Applicable

Copyright © 2026 Modern Canna, LLC. All rights reserved.
This report shall not be reproduced, distributed, or transmitted in any form or by any means, without written consent from Modern Canna, LLC. The results in this report relate only to the products analyzed. The results in this report are confidential. For more information regarding our reporting limits, please visit: **www.moderncanna.com/modern-canna-reporting-limits/**

LOQ = *Limit of Quantification* **ND** = *Non-Detect* **RPD** = *Relative Percent Difference* **MDL** = *Method Detection Limit* **PQL** = *Practical Quantitation Limit*

MODERN CANNA LABS
CMTL-0005
4705 Old Rd 37
Lakeland, FL 33813
www.moderncanna.com
863-608-7800

Richard Dillen
Laboratory Director

PJLA Testing
Accreditation #102020

HPL071026-9236YS

Sample Matrix: Vape
Cultivar: Yuzu Sr
Description: The Esnc Live Resin Hyphen Pod - 1g - Yuzu Sr

Lab ID: **KJ12018-04**
Received: 10/12/26 17:30
Completed: 10/15/26 10:51

Potency by HPLC

Batch: B6J1237 **SOP:** MCS-SOP-O02 **Prep By:** 1005 **Prep On:** 10/12/26 17:07 **Ana. By:** 1057 **Ana. On:** 10/13/26 13:36 **Initial (g):** 0.1047 **Final (g):** 10

Analyte (%)	Result	Diln	MDL	PQL	Analyte (%)	Result	Diln	MDL	PQL
Total THC	79.0	100	0.123	0.955	Total CBD	0.186	1	0.00188	0.00955
delta 8-THC	≤0.000602	1	0.000602	0.00955	delta 9-THC	79.0	100	0.0659	0.955
THCa	≤0.000649	1	0.000649	0.00955	THCV	0.383	1	0.00139	0.00955
CBD	0.186	1	0.00125	0.00955	CBDa	≤0.000783	1	0.000783	0.00955
CBDV	≤0.000860	1	0.000860	0.00955	CBC	0.531	1	0.00288	0.00955
CBG	1.90	100	0.0602	0.955	CBGa	≤0.000611	1	0.000611	0.00955
CBN	≤0.000726	1	0.000726	0.00955					

Terpene Screen by GC/MS

Batch: B6J0933 **SOP:** MCS-SOP-O04 **Prep By:** 1005 **Prep On:** 10/12/26 15:20 **Ana. By:** 1062 **Ana. On:** 10/12/26 23:02 **Initial (g):** 0.1024 **Final (g):** 10

Analyte (%)	Result	Diln	MDL	PQL	Analyte (%)	Result	Diln	MDL	PQL
alpha-Pinene	0.235	1	0.00488	0.00977	Camphene	0.0580	1	0.00488	0.00977
beta-Pinene	0.0124	1	0.00488	0.00977	3-Carene	≤0.00488	1	0.00488	0.00977
alpha-Terpinene	0.0121	1	0.00488	0.00977	Camphor	≤0.00488	1	0.00488	0.00977
d-Limonene	1.26	1	0.00488	0.00977	1,8-Cineole (Eucalyptol)	≤0.00488	1	0.00488	0.00977
gamma-Terpinene	0.00928	1	0.00488	0.00977	Terpinolene	0.0313	1	0.00488	0.00977
Isopulegol	≤0.00488	1	0.00488	0.00977	Linalool	0.784	1	0.00488	0.00977
Geraniol	0.0484	1	0.00488	0.00977	beta-Caryophyllene	1.26	1	0.00488	0.00977
alpha-Humulene	0.336	1	0.00488	0.00977	cis-Nerolidol	≤0.00488	1	0.00488	0.00977
Caryophyllene oxide	0.0365	1	0.00488	0.00977	(+/-)-Fenchone	0.0166	1	0.00488	0.00977
(+/-)-Borneol	0.0601	1	0.00488	0.00977	(+)-Pulegone	≤0.00488	1	0.00488	0.00977
Cedrol	≤0.00488	1	0.00488	0.00977	Geranyl Acetate	≤0.00488	1	0.00488	0.00977
alpha-Bisabolol	0.210	1	0.00488	0.00977	alpha-Phellandrene	0.00869	1	0.00488	0.00977
alpha-Terpineol	0.106	1	0.00488	0.00977	Nerol	≤0.00488	1	0.00488	0.00977
Sabinene	≤0.00488	1	0.00488	0.00977	Valencene	≤0.00488	1	0.00488	0.00977
beta-Myrcene	3.22	1	0.00488	0.00977	Sabinene Hydrate	≤0.00488	1	0.00488	0.00977
alpha-Cedrene	≤0.00488	1	0.00488	0.00977	Fenchyl Alcohol	0.145	1	0.00488	0.00977
Guaiol	≤0.00488	1	0.00488	0.00977	trans-Nerolidol	0.256	1	0.00488	0.00977
Isoborneol	≤0.00488	1	0.00488	0.00977	Ocimene, Total	0.902	1	0.00488	0.00977
gamma-Terpineol	≤0.00488	1	0.00488	0.00977	Menthol	≤0.00488	1	0.00488	0.00977

Residual Solvents by GC/MS-HS

Batch: B6J1260 **SOP:** MCS-SOP-O03 **Prep By:** 1005 **Prep On:** 10/12/26 20:00 **Ana. By:** 1005 **Ana. On:** 10/13/26 07:57 **Initial (g):** 0.0238 **Final (g):** 20

Analyte (ppm)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (ppm)	Result	Diln	Reg. Limit	MDL	PQL
Propane	≤84.0	1	5000	84.0	210	n-Butane	826	1	5000	84.0	210
Methanol	≤21.0	1	250	21.0	84.0	Ethylene Oxide	≤0.420	1	5	0.420	2.10
Ethanol	≤420	1	5000	420	504	Pentane	≤63.0	1	750	63.0	210
Ethyl Ether	≤42.0	1	500	42.0	210	Acetone	≤63.0	1	750	63.0	210
1,1-Dichloroethylene	≤0.258	1	8	0.258	1.26	Isopropyl Alcohol (2-Propanol)	≤42.0	1	500	42.0	210
Acetonitrile	≤5.04	1	60	5.04	25.2	Methylene Chloride	≤10.5	1	125	10.5	42.0
Hexane	≤21.0	1	250	21.0	105	Ethyl Acetate	≤33.6	1	400	33.6	168
Chloroform	≤0.168	1	2	0.168	0.840	1,2-Dichloroethane	≤0.151	1	2	0.151	0.840
Benzene	≤0.0482	1	1	0.0482	0.0840	Heptane	≤84.0	1	5000	84.0	210
Trichloroethene (Trichloroethylene)	≤2.10	1	25	2.10	10.5	Toluene	≤12.6	1	150	12.6	63.0
m/p-Xylenes	≤6.30	1	100	6.30	25.2	o-xylene	≤6.30	1	50	6.30	25.2

MODERN CANNA LABS
CMTL-0005
4705 Old Rd 37
Lakeland, FL 33813
www.moderncanna.com
863-608-7800

Richard Dillen
Laboratory Director

PJLA Testing
Accreditation #102020

HPL071026-9236YS

Sample Matrix: Vape
Cultivar: Yuzu Sr
Description: The Esnc Live Resin Hyphen Pod - 1g - Yuzu Sr

Lab ID: **KJ12018-04**
Received: 10/12/26 17:30
Completed: 10/15/26 10:51

Water Activity by REH

Batch: B6J1251 **SOP:** MCS-SOP-G03 **Prep By:** 1005 **Prep On:** 10/13/26 12:36 **Ana. By:** 1044 **Ana. On:** 10/14/26 20:39 **Initial (g):** 0.1049 **Final (g):** 0.1

Analyte (Aw)	Result	Diln	Reg. Limit	MDL	PQL
Activity of Water (Aw)	0.46	1	0.85	0.040	0.040

Foreign Matter

Batch: B6J1254 **SOP:** MCS-SOP-G01 **Prep By:** 1048 **Prep On:** 10/13/26 10:00 **Ana. By:** 1048 **Ana. On:** 10/13/26 10:30 **Initial (g):** 1 **Final (g):** 1

Analyte (P/A)	Result	Diln	Reg. Limit	Analyte (P/A)	Result	Diln	Reg. Limit
Foreign Matter	Absent	1	1% wgt or 10% area	Visible Fungi	Absent	1	1
Visible Feces	Absent	1	1				

Pesticides by LC-QQQ

Batch: B6J0937 **SOP:** MCS-SOP-O01b **Prep By:** 1030 **Prep On:** 10/12/26 16:15 **Ana. By:** 1067 **Ana. On:** 10/13/26 22:33 **Initial (g):** 0.1021 **Final (g):** 5

Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL
Abamectin, Total	<17.7	10	100	17.7	49.0	Acephate	<12.1	10	100	12.1	49.0
Acequinocyl	<7.25	10	100	7.25	49.0	Acetamiprid	<6.27	10	100	6.27	49.0
Aldicarb	<18.4	10	100	18.4	49.0	Azoxystrobin	<9.01	10	100	9.01	24.5
Bifenazate	<9.30	10	100	9.30	49.0	Bifenthrin	<14.7	10	100	14.7	49.0
Boscalid	<28.6	10	100	28.6	49.0	Chlorpyrifos	<8.33	10	100	8.33	24.5
Carbaryl	<15.3	10	500	15.3	49.0	Carbofuran	<7.25	10	100	7.25	12.2
Chlorantraniliprole	<15.7	10	1000	15.7	122	Chlormequat chloride	<6.07	10	1000	6.07	49.0
Clofentezine	<9.60	10	200	9.60	49.0	Coumaphos	<13.3	10	100	13.3	24.5
Cyfluthrin	<75.1	10	500	75.1	196	Cypermethrin	<18.8	10	500	18.8	122
Daminozide	<15.3	10	100	15.3	49.0	Diazinon	<5.39	10	100	5.39	24.5
Dichlorvos	<19.5	10	100	19.5	49.0	Dimethoate	<2.25	10	100	2.25	12.2
Dimethomorph, Total	<5.97	10	200	5.97	49.0	Ethoprophos	<10.4	10	100	10.4	49.0
Etofenprox	<8.13	10	100	8.13	49.0	Etoxazole	<7.25	10	100	7.25	49.0
Fenhexamid	<9.70	10	100	9.70	49.0	Fenoxycarb	<8.81	10	100	8.81	24.5
Fenpyroximate	<4.41	10	100	4.41	49.0	Fipronil	<23.2	10	100	23.2	49.0
Flonicamid	<8.23	10	100	8.23	49.0	Fludioxonil	<17.2	10	100	17.2	49.0
Hexythiazox	<5.97	10	100	5.97	49.0	Imazalil	<10.5	10	100	10.5	49.0
Imidacloprid	<8.91	10	400	8.91	97.9	Kresoxim-Methyl	<8.72	10	100	8.72	49.0
Malathion	<28.6	10	200	28.6	49.0	Metalaxyl	<9.70	10	100	9.70	49.0
Methiocarb	<17.9	10	100	17.9	49.0	Methomyl	<3.82	10	100	3.82	24.5
Mevinphos	<10.4	10	100	10.4	49.0	Myclobutanil	<14.0	10	100	14.0	49.0
Dibrom (Naled)	<18.7	10	250	18.7	49.0	Oxamyl	<4.11	10	250	4.11	12.2
Paclobutrazol	<14.4	10	100	14.4	49.0	Permethrin	<7.84	10	100	7.84	49.0
Phosmet	<8.81	10	100	8.81	49.0	Piperonyl butoxide	<19.6	10	3000	19.6	490
Prallethrin	<11.5	10	100	11.5	49.0	Propiconazole (Tilt)	<8.81	10	100	8.81	49.0
Pyridaben	<3.04	10	200	3.04	49.0	Pyrethrins, Total	<10.6	10	500	10.6	49.0
Spinetoram, Total	<6.56	10	200	6.56	49.0	Spiromesifen	<7.15	10	100	7.15	12.2
Spirotetramat	<8.62	10	100	8.62	49.0	Spiroxamine	<14.7	10	100	14.7	49.0
Tebuconazole	<7.74	10	100	7.74	49.0	Thiacloprid	<3.23	10	100	3.23	49.0
Thiamethoxam	<4.41	10	500	4.41	97.9	Trifloxystrobin	<8.03	10	100	8.03	49.0
Baygon (Propoxur)	<5.78	10	100	5.78	49.0	Spinosad, Total	<8.72	10	100	8.72	35.5

Pesticides by GC-QQQ

Batch: B6J0937 **SOP:** MCS-SOP-O01a **Prep By:** 1030 **Prep On:** 10/12/26 16:15 **Ana. By:** 1005 **Ana. On:** 10/13/26 17:16 **Initial (g):** 0.1021 **Final (g):** 5

Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL
Pentachloronitrobenzene (quintozene)	≤29.4	5	150	29.4	73.5	Methyl parathion	≤16.7	5	100	16.7	49.0
Chlordane, Total	≤19.6	5	100	19.6	49.0	Chlorfenapyr	≤19.6	5	100	19.6	49.0

MODERN CANNA LABS
CMTL-0005
4705 Old Rd 37
Lakeland, FL 33813
www.moderncanna.com
863-608-7800

Richard Dillen
Laboratory Director

PJLA Testing
Accreditation #102020

HPL071026-9236YS

Sample Matrix: Vape
Cultivar: Yuzu Sr
Description: The Esnc Live Resin Hyphen Pod - 1g - Yuzu Sr

Lab ID: **KJ12018-04**
Received: 10/12/26 17:30
Completed: 10/15/26 10:51

Mycotoxins by LC-QQQ

Batch: B6J0937 **SOP:** MCS-SOP-O01b
Prep By: 1030 **Prep On:** 10/12/26 16:15
Ana. By: 1067 **Ana. On:** 10/13/26 20:17
Initial (g): 0.1021 **Final (g):** 5

Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL
Aflatoxin, Total	<5.76	10	20	5.76	9.79	Ochratoxin A	<4.94	10	20	4.94	9.79
Aflatoxin G2	<14.6	10	20	14.6	19.6	Aflatoxin G1	<6.35	10	20	6.35	14.7
Aflatoxin B2	<7.60	10	20	7.60	14.7	Aflatoxin B1	<5.76	10	20	5.76	9.79

Total Metals by ICP-MS

Batch: B6J1247 **SOP:** MCS-SOP-I01
Prep By: 1005 **Prep On:** 10/13/26 14:45
Ana. By: 1005 **Ana. On:** 10/13/26 20:50
Initial (g): 0.2592 **Final (g):** 25

Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL
Arsenic	<19.3	1	200	19.3	96.5	Cadmium	<19.3	1	200	19.3	96.5
Lead	<48.2	1	500	48.2	241	Mercury	<19.3	1	200	19.3	48.2
Nickel	<96.5	1	500	96.5	241	Tin	<386	1	4000	386	1930

Microbials by qPCR

Batch: B6J1222 **SOP:** MCS-SOP-M01
Prep By: 1058 **Prep On:** 10/12/26 17:30
Ana. By: 1005 **Ana. On:** 10/13/26 19:12
Initial (g): 1.0008 **Final (g):** 2.4

Analyte (CFU)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (CFU)	Result	Diln	Reg. Limit	MDL	PQL
Aspergillus flavus	Absent	1	1	1.00	1.00	Aspergillus fumigatus	Absent	1	1	1.00	1.00
Aspergillus niger	Absent	1	1	1.00	1.00	Aspergillus terreus	Absent	1	1	1.00	1.00
Aspergillus Total	Absent	1	1	1.00	1.00	Listeria	Absent	1	1	1.00	1.00
Salmonella	Absent	1	1	1.00	1.00	Shiga Toxin E.coli	Absent	1	1	1.00	1.00

Quantitative Microbials by qPCR

Batch: B6J1223 **SOP:** MCS-SOP-M01
Prep By: 1005 **Prep On:** 10/13/26 14:44
Ana. By: 1058 **Ana. On:** 10/13/26 16:15
Initial (g): 1.0074 **Final (g):** 7

Analyte (CFU)	Result	Diln	Reg. Limit	MDL	PQL
Yeast & Mold	Absent	1	100000	1000	1000

Total Contaminant Load by Calculation

Analyte (ppm)	Result	Reg. Limit
Total Contaminant Load	0.00	5