VERANO™

Certificate of Analysis

Verano
M00010CULPRORuskin001

Cultivation Facility:	Apollo Beach
Processing Facility:	Apollo Beach
Batch Date:	11/10/2026
Batch Size:	1412 g
Batch Units:	1412
Units Sampled:	15
Total Amt. Sampled:	15 g
Seed to Sale ID:	8155567424894603
QA Sample ID:	6458957401000006

LRN231026-4603TRT

PASSED

Laboratory ID:	KK10018-01
Testing Matrix:	Derivative Product intended for inhalation
Sample Matrix:	Vape
Label Claim:	THC: -- mg | CBD: -- mg
Cultivar:	Trop Teeth #8
Description:	MUV Live Resin AIO - 1g - Trop Teeth #8

Sample Date:	11/10/26	**Received:**	11/10/26 15:28
Exp. Date:	11/10/27	**Completed:**	11/12/26 15:48

POTENCY SUMMARY (As Received)

Total CBD	Total THC	Total Cannabinoids
0.175% (1.75 mg)	**78.4% (784 mg)**	**81.0% (810 mg)**

Analyte	%	mg
delta 9-THC	75.2	752
THCa	3.67	36.7
CBG	0.942	9.42
CBGa	0.785	7.85
THCV	0.245	2.45
CBD	0.129	1.29
CBDa	0.0523	0.523
CBC	≤ 0.00293	≤ 0.029
CBDV	≤ 0.000874	≤ 0.0087
CBN	≤ 0.000738	≤ 0.0074
delta 8-THC	≤ 0.000612	≤ 0.0061

TERPENES SUMMARY (Top Ten)

Total Terpenes

7.50%

Analyte	%
beta-Caryophyllene	3.14
d-Limonene	1.29
alpha-Humulene	0.936
Linalool	0.748
alpha-Bisabolol	0.265
trans-Nerolidol	0.200
beta-Myrcene	0.177
alpha-Terpineol	0.155
Fenchyl Alcohol	0.152
Ocimene, Total	0.124

ANALYSIS SUMMARY

Potency	Completed	**Homogeneity**	Not Tested	**Terpenes**	Completed
Residual Solvents	PASS	**% Moisture**	Not Tested	**Water Activity**	PASS
Foreign Matter	PASS	**Pesticides**	PASS	**Mycotoxins**	PASS
Heavy Metals	PASS	**Microbials**	PASS	**Label Claim**	Not Applicable

Copyright © 2026 Modern Canna, LLC. All rights reserved.
This report shall not be reproduced, distributed, or transmitted in any form or by any means, without written consent from Modern Canna, LLC. The results in this report relate only to the products analyzed. The results in this report are confidential. For more information regarding our reporting limits, please visit: **www.moderncanna.com/modern-canna-reporting-limits/**

LOQ = *Limit of Quantification* **ND** = *Non-Detect* **RPD** = *Relative Percent Difference* **MDL** = *Method Detection Limit* **PQL** = *Practical Quantitation Limit*

MODERN CANNA LABS
CMTL-0005

4705 Old Rd 37
Lakeland, FL 33813
www.moderncanna.com
863-608-7800

Richard Dillen
Laboratory Director

PJLA Testing
Accreditation #102020

LRN231026-4603TRT

Sample Matrix: Vape
Cultivar: Trop Teeth #8
Description: MUV Live Resin AIO - 1g - Trop Teeth #8

Lab ID: **KK10018-01**
Received: 11/10/26 15:28
Completed: 11/12/26 15:48

Potency by HPLC

Batch: B6K1042 **SOP:** MCS-SOP-O02 **Prep By:** 1005 **Prep On:** 11/10/26 19:12 **Ana. By:** 1005 **Ana. On:** 11/11/26 21:35 **Initial (g):** 0.103 **Final (g):** 10

Analyte (%)	Result	Diln	MDL	PQL	Analyte (%)	Result	Diln	MDL	PQL
Total THC	78.4	100	0.125	0.971	Total CBD	0.175	1	0.00191	0.00971
delta 8-THC	≤0.000612	1	0.000612	0.00971	delta 9-THC	75.2	100	0.0670	0.971
THCa	3.67	100	0.0660	0.971	THCV	0.245	1	0.00142	0.00971
CBD	0.129	1	0.00127	0.00971	CBDa	0.0523	1	0.000796	0.00971
CBDV	≤0.000874	1	0.000874	0.00971	CBC	≤0.00293	1	0.00293	0.00971
CBG	0.942	1	0.000612	0.00971	CBGa	0.785	1	0.000621	0.00971
CBN	≤0.000738	1	0.000738	0.00971					

Terpene Screen by GC/MS

Batch: B6K0986 **SOP:** MCS-SOP-O04 **Prep By:** 1005 **Prep On:** 11/10/26 16:14 **Ana. By:** 1005 **Ana. On:** 11/11/26 11:30 **Initial (g):** 0.1036 **Final (g):** 10

Analyte (%)	Result	Diln	MDL	PQL	Analyte (%)	Result	Diln	MDL	PQL
alpha-Pinene	0.121	1	0.00483	0.00965	Camphene	0.0520	1	0.00483	0.00965
beta-Pinene	≤0.00483	1	0.00483	0.00965	3-Carene	≤0.00483	1	0.00483	0.00965
alpha-Terpinene	0.0137	1	0.00483	0.00965	Camphor	≤0.00483	1	0.00483	0.00965
d-Limonene	1.29	1	0.00483	0.00965	1,8-Cineole (Eucalyptol)	0.00956	1	0.00483	0.00965
gamma-Terpinene	0.0107	1	0.00483	0.00965	Terpinolene	0.0321	1	0.00483	0.00965
Isopulegol	≤0.00483	1	0.00483	0.00965	Linalool	0.748	1	0.00483	0.00965
Geraniol	≤0.00483	1	0.00483	0.00965	beta-Caryophyllene	3.14	1	0.00483	0.00965
alpha-Humulene	0.936	1	0.00483	0.00965	cis-Nerolidol	≤0.00483	1	0.00483	0.00965
Caryophyllene oxide	≤0.00483	1	0.00483	0.00965	(+/-)-Fenchone	0.0125	1	0.00483	0.00965
(+/-)-Borneol	0.0644	1	0.00483	0.00965	(+)-Pulegone	≤0.00483	1	0.00483	0.00965
Cedrol	≤0.00483	1	0.00483	0.00965	Geranyl Acetate	≤0.00483	1	0.00483	0.00965
alpha-Bisabolol	0.265	1	0.00483	0.00965	alpha-Phellandrene	≤0.00483	1	0.00483	0.00965
alpha-Terpineol	0.155	1	0.00483	0.00965	Nerol	≤0.00483	1	0.00483	0.00965
Sabinene	≤0.00483	1	0.00483	0.00965	Valencene	≤0.00483	1	0.00483	0.00965
beta-Myrcene	0.177	1	0.00483	0.00965	Sabinene Hydrate	≤0.00483	1	0.00483	0.00965
alpha-Cedrene	≤0.00483	1	0.00483	0.00965	Fenchyl Alcohol	0.152	1	0.00483	0.00965
Guaiol	≤0.00483	1	0.00483	0.00965	trans-Nerolidol	0.200	1	0.00483	0.00965
Isoborneol	≤0.00483	1	0.00483	0.00965	Ocimene, Total	0.124	1	0.00483	0.00965
gamma-Terpineol	≤0.00483	1	0.00483	0.00965	Menthol	≤0.00483	1	0.00483	0.00965

Residual Solvents by GC/MS-HS

Batch: B6K1068 **SOP:** MCS-SOP-O03 **Prep By:** 1005 **Prep On:** 11/10/26 18:50 **Ana. By:** 1005 **Ana. On:** 11/11/26 12:57 **Initial (g):** 0.0226 **Final (g):** 20

Analyte (ppm)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (ppm)	Result	Diln	Reg. Limit	MDL	PQL
Propane	≤88.5	1	5000	88.5	221	n-Butane	389	1	5000	88.5	221
Methanol	≤22.1	1	250	22.1	88.5	Ethylene Oxide	≤0.442	1	5	0.442	2.21
Ethanol	≤442	1	5000	442	531	Pentane	≤66.4	1	750	66.4	221
Ethyl Ether	≤44.2	1	500	44.2	221	Acetone	≤66.4	1	750	66.4	221
1,1-Dichloroethylene	≤0.272	1	8	0.272	1.33	Isopropyl Alcohol (2-Propanol)	≤44.2	1	500	44.2	221
Acetonitrile	≤5.31	1	60	5.31	26.5	Methylene Chloride	≤11.1	1	125	11.1	44.2
Hexane	≤22.1	1	250	22.1	111	Ethyl Acetate	≤35.4	1	400	35.4	177
Chloroform	≤0.177	1	2	0.177	0.885	1,2-Dichloroethane	≤0.159	1	2	0.159	0.885
Benzene	≤0.0507	1	1	0.0507	0.0885	Heptane	≤88.5	1	5000	88.5	221
Trichloroethene (Trichloroethylene)	≤2.21	1	25	2.21	11.1	Toluene	≤13.3	1	150	13.3	66.4
m/p-Xylenes	≤6.64	1	100	6.64	26.5	o-xylene	≤6.64	1	50	6.64	26.5

LRN231026-4603TRT

Sample Matrix: Vape
Cultivar: Trop Teeth #8
Description: MUV Live Resin AIO - 1g - Trop Teeth #8

Lab ID: **KK10018-01**
Received: 11/10/26 15:28
Completed: 11/12/26 15:48

Water Activity by REH

Batch: B6K1060 **SOP:** MCS-SOP-G03
Prep By: 1005 **Prep On:** 11/11/26 12:19
Ana. By: 1048 **Ana. On:** 11/11/26 15:37
Initial (g): 0.1049 **Final (g):** 0.1

Analyte (Aw)	Result	Diln	Reg. Limit	MDL	PQL
Activity of Water (Aw)	0.50	1	0.85	0.040	0.040

Foreign Matter

Batch: B6K1064 **SOP:** MCS-SOP-G01
Prep By: 1048 **Prep On:** 11/11/26 10:00
Ana. By: 1048 **Ana. On:** 11/11/26 10:30
Initial (g): 1 **Final (g):** 1

Analyte (P/A)	Result	Diln	Reg. Limit	Analyte (P/A)	Result	Diln	Reg. Limit
Foreign Matter	Absent	1	1% wgt or 10% area	Visible Fungi	Absent	1	1
Visible Feces	Absent	1	1				

Pesticides by LC-QQQ

Batch: B6K0960 **SOP:** MCS-SOP-O01b
Prep By: 1055 **Prep On:** 11/10/26 16:14
Ana. By: 1067 **Ana. On:** 11/11/26 02:17
Initial (g): 0.1014 **Final (g):** 5

Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL
Abamectin, Total	<17.9	10	100	17.9	49.3	Acephate	<12.2	10	100	12.2	49.3
Acequinocyl	<7.30	10	100	7.30	49.3	Acetamiprid	<6.31	10	100	6.31	49.3
Aldicarb	<18.5	10	100	18.5	49.3	Azoxystrobin	<9.07	10	100	9.07	24.7
Bifenazate	<9.37	10	100	9.37	49.3	Bifenthrin	<14.8	10	100	14.8	49.3
Boscalid	<28.8	10	100	28.8	49.3	Chlorpyrifos	<8.38	10	100	8.38	24.7
Carbaryl	<15.4	10	500	15.4	49.3	Carbofuran	<7.30	10	100	7.30	12.3
Chlorantraniliprole	<15.8	10	1000	15.8	123	Chlormequat chloride	<6.11	10	1000	6.11	49.3
Clofentezine	<9.66	10	200	9.66	49.3	Coumaphos	<13.4	10	100	13.4	24.7
Cyfluthrin	<75.6	10	500	75.6	197	Cypermethrin	<18.9	10	500	18.9	123
Daminozide	<15.4	10	100	15.4	49.3	Diazinon	<5.42	10	100	5.42	24.7
Dichlorvos	<19.6	10	100	19.6	49.3	Dimethoate	<2.27	10	100	2.27	12.3
Dimethomorph, Total	<6.02	10	200	6.02	49.3	Ethoprophos	<10.5	10	100	10.5	49.3
Etofenprox	<8.19	10	100	8.19	49.3	Etoxazole	<7.30	10	100	7.30	49.3
Fenhexamid	<9.76	10	100	9.76	49.3	Fenoxycarb	<8.88	10	100	8.88	24.7
Fenpyroximate	<4.44	10	100	4.44	49.3	Fipronil	<23.4	10	100	23.4	49.3
Flonicamid	<8.28	10	100	8.28	49.3	Fludioxonil	<17.4	10	100	17.4	49.3
Hexythiazox	<6.02	10	100	6.02	49.3	Imazalil	<10.6	10	100	10.6	49.3
Imidacloprid	<8.97	10	400	8.97	98.6	Kresoxim-Methyl	<8.78	10	100	8.78	49.3
Malathion	<28.8	10	200	28.8	49.3	Metalaxyl	<9.76	10	100	9.76	49.3
Methiocarb	<18.0	10	100	18.0	49.3	Methomyl	<3.85	10	100	3.85	24.7
Mevinphos	<10.5	10	100	10.5	49.3	Myclobutanil	<14.1	10	100	14.1	49.3
Dibrom (Naled)	<18.8	10	250	18.8	49.3	Oxamyl	<4.14	10	250	4.14	12.3
Paclobutrazol	<14.5	10	100	14.5	49.3	Permethrin	<7.89	10	100	7.89	49.3
Phosmet	<8.88	10	100	8.88	49.3	Piperonyl butoxide	<19.7	10	3000	19.7	493
Prallethrin	<11.5	10	100	11.5	49.3	Propiconazole (Tilt)	<8.88	10	100	8.88	49.3
Pyridaben	<3.06	10	200	3.06	49.3	Pyrethrins, Total	<10.7	10	500	10.7	49.3
Spinetoram, Total	<6.61	10	200	6.61	49.3	Spiromesifen	<7.20	10	100	7.20	12.3
Spirotetramat	<8.68	10	100	8.68	49.3	Spiroxamine	<14.8	10	100	14.8	49.3
Tebuconazole	<7.79	10	100	7.79	49.3	Thiacloprid	<3.25	10	100	3.25	49.3
Thiamethoxam	<4.44	10	500	4.44	98.6	Trifloxystrobin	<8.09	10	100	8.09	49.3
Baygon (Propoxur)	<5.82	10	100	5.82	49.3	Spinosad, Total	<8.78	10	100	8.78	35.7

Pesticides by GC-QQQ

Batch: B6K0960 **SOP:** MCS-SOP-O01a
Prep By: 1055 **Prep On:** 11/10/26 16:14
Ana. By: 1005 **Ana. On:** 11/11/26 10:42
Initial (g): 0.1014 **Final (g):** 5

Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL
Pentachloronitrobenzene (quintozene)	≤29.6	5	150	29.6	74.0	Methyl parathion	≤16.9	5	100	16.9	49.3
Chlordane, Total	≤19.7	5	100	19.7	49.3	Chlorfenapyr	≤19.7	5	100	19.7	49.3

LRN231026-4603TRT

Sample Matrix: Vape
Cultivar: Trop Teeth #8
Description: MUV Live Resin AIO - 1g - Trop Teeth #8

Lab ID: **KK10018-01**
Received: 11/10/26 15:28
Completed: 11/12/26 15:48

Mycotoxins by LC-QQQ

Batch: B6K0960 **SOP:** MCS-SOP-O01b
Prep By: 1055 **Prep On:** 11/10/26 16:14
Ana. By: 1067 **Ana. On:** 11/10/26 20:27
Initial (g): 0.1014 **Final (g):** 5

Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL
Aflatoxin, Total	<5.80	10	20	5.80	9.86	Ochratoxin A	<4.97	10	20	4.97	9.86
Aflatoxin G2	<14.7	10	20	14.7	19.7	Aflatoxin G1	<6.39	10	20	6.39	14.8
Aflatoxin B2	<7.65	10	20	7.65	14.8	Aflatoxin B1	<5.80	10	20	5.80	9.86

Total Metals by ICP-MS

Batch: B6K1054 **SOP:** MCS-SOP-I01
Prep By: 1005 **Prep On:** 11/11/26 11:28
Ana. By: 1005 **Ana. On:** 11/11/26 18:07
Initial (g): 0.2542 **Final (g):** 25

Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (ppb)	Result	Diln	Reg. Limit	MDL	PQL
Arsenic	<19.7	1	200	19.7	98.3	Cadmium	<19.7	1	200	19.7	98.3
Lead	<98.3	1	500	98.3	246	Mercury	<19.7	1	200	19.7	49.2
Nickel	<98.3	1	500	98.3	246	Tin	<393	1	4000	393	1970

Microbials by qPCR

Batch: B6K1033 **SOP:** MCS-SOP-M01
Prep By: 1058 **Prep On:** 11/11/26 09:40
Ana. By: 1005 **Ana. On:** 11/12/26 11:00
Initial (g): 1.0025 **Final (g):** 2.4

Analyte (CFU)	Result	Diln	Reg. Limit	MDL	PQL	Analyte (CFU)	Result	Diln	Reg. Limit	MDL	PQL
Aspergillus flavus	Absent	1	1	1.00	1.00	Aspergillus fumigatus	Absent	1	1	1.00	1.00
Aspergillus niger	Absent	1	1	1.00	1.00	Aspergillus terreus	Absent	1	1	1.00	1.00
Aspergillus Total	Absent	1	1	1.00	1.00	Listeria	Absent	1	1	1.00	1.00
Salmonella	Absent	1	1	1.00	1.00	Shiga Toxin E.coli	Absent	1	1	1.00	1.00

Quantitative Microbials by qPCR

Batch: B6K1034 **SOP:** MCS-SOP-M01
Prep By: 1058 **Prep On:** 11/11/26 13:04
Ana. By: 1005 **Ana. On:** 11/11/26 14:48
Initial (g): 1.003 **Final (g):** 7

Analyte (CFU)	Result	Diln	Reg. Limit	MDL	PQL
Yeast & Mold	Absent	1	100000	1000	1000

Total Contaminant Load by Calculation

Analyte (ppm)	Result	Reg. Limit
Total Contaminant Load	0.00	5